



Costello syndrome

Costello syndrome is a disorder that affects many parts of the body. This condition is characterized by delayed development and intellectual disability, loose folds of skin (which are especially noticeable on the hands and feet), unusually flexible joints, and distinctive facial features including a large mouth. Heart problems are common, including an abnormal heartbeat (arrhythmia), structural heart defects, and a type of heart disease that enlarges and weakens the heart muscle (hypertrophic cardiomyopathy). Infants with Costello syndrome may be larger than average at birth, but most have difficulty feeding and grow more slowly than other children. People with this condition have relatively short stature and may have reduced growth hormone levels. Other signs and symptoms of Costello syndrome can include tight Achilles tendons (which connect the calf muscles to the heel), weak muscle tone (hypotonia), a structural abnormality of the brain called a Chiari I malformation, skeletal abnormalities, dental problems, and problems with vision.

Beginning in early childhood, people with Costello syndrome are at an increased risk of developing certain cancerous and noncancerous tumors. The most common noncancerous tumors associated with this condition are papillomas, which are small, wart-like growths that usually develop around the nose and mouth or near the anus. The most common cancerous tumor associated with Costello syndrome is a childhood cancer called rhabdomyosarcoma, which begins in muscle tissue. Neuroblastoma, a tumor that arises in developing nerve cells, also has been reported in children and adolescents with this syndrome. In addition, some teenagers with Costello syndrome have developed transitional cell carcinoma, a form of bladder cancer that is usually seen in older adults.

The signs and symptoms of Costello syndrome overlap significantly with those of two other genetic conditions, cardiofaciocutaneous syndrome (CFC syndrome) and Noonan syndrome. In affected infants, it can be difficult to tell the three conditions apart based on their physical features. However, the conditions can be distinguished by their genetic cause and by specific patterns of signs and symptoms that develop later in childhood.

Frequency

This condition is very rare; it probably affects 200 to 300 people worldwide. Reported estimates of Costello syndrome prevalence range from 1 in 300,000 to 1 in 1.25 million people.

Genetic Changes

Mutations in the *HRAS* gene cause Costello syndrome. This gene provides instructions for making a protein called H-Ras, which is part of a pathway that helps control cell growth and division. Mutations that cause Costello syndrome lead to the production of an H-Ras protein that is abnormally turned on (active). The overactive protein directs cells to grow and divide constantly, which can lead to the development of cancerous and noncancerous tumors. It is unclear how mutations in the *HRAS* gene cause the other features of Costello syndrome, but many of the signs and symptoms probably result from cell overgrowth and abnormal cell division.

Some people with signs and symptoms of Costello syndrome do not have an identified mutation in the *HRAS* gene. These individuals may actually have CFC syndrome or Noonan syndrome, which are caused by mutations in related genes. The proteins produced from these genes interact with one another and with the H-Ras protein as part of the same cell growth and division pathway. These interactions help explain why mutations in different genes can cause conditions with overlapping signs and symptoms.

Inheritance Pattern

Costello syndrome is considered to be an autosomal dominant condition, which means one copy of the altered gene in each cell is sufficient to cause the disorder. Almost all reported cases have resulted from new gene mutations and have occurred in people with no history of the disorder in their family.

Other Names for This Condition

- faciocutaneoskeletal syndrome
- FCS syndrome

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Costello syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0587248/>

Other Diagnosis and Management Resources

- GeneReview: Costello Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK1507>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Cancer
<https://medlineplus.gov/cancer.html>
- Health Topic: Congenital Heart Defects
<https://medlineplus.gov/congenitalheartdefects.html>
- Health Topic: Developmental Disabilities
<https://medlineplus.gov/developmentaldisabilities.html>
- Health Topic: Skin Conditions
<https://medlineplus.gov/skinconditions.html>

Genetic and Rare Diseases Information Center

- Costello syndrome
<https://rarediseases.info.nih.gov/diseases/1550/costello-syndrome>

Educational Resources

- Disease InfoSearch: Costello Syndrome
<http://www.diseaseinfosearch.org/Costello+Syndrome/1942>
- MalaCards: costello syndrome
http://www.malacards.org/card/costello_syndrome
- My46 Trait Profile
<https://www.my46.org/trait-document?trait=Costello%20syndrome&type=profile>
- Orphanet: Costello syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=3071

Patient Support and Advocacy Resources

- American Heart Association
http://www.heart.org/HEARTORG/Conditions/CongenitalHeartDefects/Congenital-Heart-Defects_UCM_001090_SubHomePage.jsp
- Children's Craniofacial Association
<http://www.ccakids.com/>
- MAP Program at the Alfred I. duPont Hospital for Children
<https://www.nemours.org/service/medical/map.html?location=naidhc>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/costello-syndrome/>
- Resource list from the University of Kansas Medical Center
<http://www.kumc.edu/gec/support/costello.html>
- The MAGIC Foundation
<https://www.magicfoundation.org/>

GeneReviews

- Costello Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK1507>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22costello+syndrome%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28costello+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- COSTELLO SYNDROME
<http://omim.org/entry/218040>

Sources for This Summary

- Abe Y, Aoki Y, Kuriyama S, Kawame H, Okamoto N, Kurosawa K, Ohashi H, Mizuno S, Ogata T, Kure S, Niihori T, Matsubara Y; Costello and CFC syndrome study group in Japan. Prevalence and clinical features of Costello syndrome and cardio-facio-cutaneous syndrome in Japan: findings from a nationwide epidemiological survey. *Am J Med Genet A*. 2012 May;158A(5):1083-94. doi: 10.1002/ajmg.a.35292. Epub 2012 Apr 11.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22495831>
- Aoki Y, Niihori T, Kawame H, Kurosawa K, Ohashi H, Tanaka Y, Filocamo M, Kato K, Suzuki Y, Kure S, Matsubara Y. Germline mutations in HRAS proto-oncogene cause Costello syndrome. *Nat Genet*. 2005 Oct;37(10):1038-40. Epub 2005 Sep 18.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16170316>
- Axelrad ME, Schwartz DD, Fehlis JE, Hopkins E, Stabley DL, Sol-Church K, Gripp KW. Longitudinal course of cognitive, adaptive, and behavioral characteristics in Costello syndrome. *Am J Med Genet A*. 2009 Dec;149A(12):2666-72. doi: 10.1002/ajmg.a.33126.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19919001>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2787985/>
- Estep AL, Tidyman WE, Teitell MA, Cotter PD, Rauen KA. HRAS mutations in Costello syndrome: detection of constitutional activating mutations in codon 12 and 13 and loss of wild-type allele in malignancy. *Am J Med Genet A*. 2006 Jan 1;140(1):8-16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16372351>
- GeneReview: Costello Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK1507>
- Gripp KW, Lin AE, Stabley DL, Nicholson L, Scott CI Jr, Doyle D, Aoki Y, Matsubara Y, Zackai EH, Lapunzina P, Gonzalez-Meneses A, Holbrook J, Agresta CA, Gonzalez IL, Sol-Church K. HRAS mutation analysis in Costello syndrome: genotype and phenotype correlation. *Am J Med Genet A*. 2006 Jan 1;140(1):1-7.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16329078>
- Gripp KW, Stabley DL, Nicholson L, Hoffman JD, Sol-Church K. Somatic mosaicism for an HRAS mutation causes Costello syndrome. *Am J Med Genet A*. 2006 Oct 15;140(20):2163-9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16969868>
- Kerr B, Delrue MA, Sigaudy S, Perveen R, Marche M, Burgelin I, Stef M, Tang B, Eden OB, O'Sullivan J, De Sandre-Giovannoli A, Reardon W, Brewer C, Bennett C, Quarell O, M'Cann E, Donnai D, Stewart F, Hennekam R, Cavé H, Verloes A, Philip N, Lacombe D, Levy N, Arveiler B, Black G. Genotype-phenotype correlation in Costello syndrome: HRAS mutation analysis in 43 cases. *J Med Genet*. 2006 May;43(5):401-5. Epub 2006 Jan 27.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16443854>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2564514/>
- Quezada E, Gripp KW. Costello syndrome and related disorders. *Curr Opin Pediatr*. 2007 Dec;19(6):636-44.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18025929>
- Rauen KA. Distinguishing Costello versus cardio-facio-cutaneous syndrome: BRAF mutations in patients with a Costello phenotype. *Am J Med Genet A*. 2006 Aug 1;140(15):1681-3.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16804887>
- Rauen KA. HRAS and the Costello syndrome. *Clin Genet*. 2007 Feb;71(2):101-8. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17250658>

- Stevenson DA, Yang FC. The musculoskeletal phenotype of the RASopathies. Am J Med Genet C Semin Med Genet. 2011 May 15;157C(2):90-103. doi: 10.1002/ajmg.c.30296. Epub 2011 Apr 14. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21495174>
- White SM, Graham JM Jr, Kerr B, Gripp K, Weksberg R, Cytrynbaum C, Reeder JL, Stewart FJ, Edwards M, Wilson M, Bankier A. The adult phenotype in Costello syndrome. Am J Med Genet A. 2005 Jul 15;136(2):128-35. Erratum in: Am J Med Genet A. 2005 Nov 15;139(1):55.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15940703>
- Zampino G, Pantaleoni F, Carta C, Cobellis G, Vasta I, Neri C, Pogna EA, De Feo E, Delogu A, Sarkozy A, Atzeri F, Selicorni A, Rauen KA, Cytrynbaum CS, Weksberg R, Dallapiccola B, Ballabio A, Gelb BD, Neri G, Tartaglia M. Diversity, parental germline origin, and phenotypic spectrum of de novo HRAS missense changes in Costello syndrome. Hum Mutat. 2007 Mar;28(3):265-72.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17054105>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/costello-syndrome>

Reviewed: July 2012

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services